HAD-SMAP-MCXP





The HASCO **HAD-SMAP-MCXP** is a general purpose SMA Male to MCX Male between-series adapter from HASCO. This between-series coaxial adapter will operate up to 6 GHz.

The HAD-SMAP-MCXP is RoHS compliant.



HASCO stocks an extensive selection of RF and Microwave between-series, in-series, right angle and low PIM adapters.

SMA Male to MCX Male General Purpose Adapter - 6 GHz

Electrical

• Impedence 50 Ohms

• Frequency Range DC - 6 GHz

• VSWR 1.20:1 Max

Material Note: All plating thickness values are in micro-inches.

• SMA Body & Coupling Nut Brass (Plating: Gold 4 over Nickel-Phosphorus Alloy 80 over Copper 20)


• MCX Body BeCu (Plating: Gold 4 over Nickel-Phosphorus Alloy 80 over Copper 20)

• Contact Pin Brass (Plating: Gold 4 over Nickel-Phosphorus Alloy 80 over Copper 20)

• Gasket Silicon

Insulator Teflon

SMA Male to MCX Male Adapter | DC \sim 6 GHz | Outline Drawing



LTR	DESCRIPTION	DATE	APPR.	DRAWN BY: JMS	CHECKED BY: JMS	TIAC	CO INIC 5	214 Bonsai Street • M	oorpark, CA 93021
-	RELEASE	07/21	TAC	APPROVED BY: TAC		(888) 498-3242 • sales@hasco-inc.com			
					SPECIFICATIONS ARE THE OMPONENTS AND SHALL				
				NOT BE REPRODUCED, COPI WHOLE OR IN PART - AS THE E UFACTURE OR SALE OF OTH THE EXPRESS, WRITTEN PERI	COPIED NOR USED - IN THE BASIS FOR THE MAN- OTHER ITEMS WITHOUT	MATERIALS:	CAGE CODE:	SCALE:	SIZE:
-		-					0T8L4	N/A	Α
		İ					PART NO./DRAWING NO.		REV:
		<u> </u>		COMPONENTS.		FINISHES:			
						CEE DATA CHEET	HAD-SM	IAP-MCXP	-
THIS DRAWING IS A CONTROLLED DOCUMENT						SEE DATA SHEET	DATA SHEET		

Product specifications subject to change without notification.