

Part No:

HAD-SSMAJ-SSMAJ



SSMA Female to SSMA Female General Purpose Adapter - 27 GHz

Electrical

- | | |
|-------------------|-------------|
| • Impedance | 50 Ohms |
| • Frequency Range | DC - 27 GHz |
| • VSWR | 1.20:1 Max |

Material

Note: All plating thickness values are in micro-inches.


- | | |
|---------------|--|
| • Body | Passivated Stainless Steel |
| • Contact Pin | BeCu (Plating: Gold 4 over Nickel Phosphorous Alloy 80 over Copper 20) |
| • Insulator | Teflon |


The HASCO **HAD-SSMAJ-SSMAJ** is a general purpose SSMA Female to SSMA Female between-series adapter from HASCO. This between-series coaxial adapter will operate up to 27 GHz.

The HAD-SSMAJ-SSMAJ is RoHS compliant.



HASCO stocks an extensive selection of RF and Microwave between-series, in-series, right angle and low PIM adapters.



LTR	DESCRIPTION	DATE	APPR.	DRAWN BY: JMS	CHECKED BY: JMS	 5214 Bonsai Street • Moorpark, CA 93021 (888) 498-3242 • sales@hasco-inc.com www.hasco-inc.com			
-	RELEASE	07/21	TAC	APPROVED BY: TAC					
				THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF HASCO COMPONENTS AND SHALL NOT BE REPRODUCED, COPIED NOR USED - IN WHOLE OR IN PART - AS THE BASIS FOR THE MANUFACTURE OR SALE OF OTHER ITEMS WITHOUT THE EXPRESS, WRITTEN PERMISSION OF HASCO COMPONENTS.		MATERIALS:	CAGE CODE:	SCALE:	SIZE:
						SEE DATA SHEET	OT8L4	N/A	A
						FINISHES:	PART NO./DRAWING NO.		REV:
						SEE DATA SHEET	HAD-SSMAJ-SSMAJ		-
THIS DRAWING IS A CONTROLLED DOCUMENT									