
CONFIDENTIAL
PROPRIETARY INFORMATION OF
SOUTHWEST MICROWAVE, INC.
THIS DOCUMENT SHALL NOT BE
REPRODUCED IN ANY MANNER

NOTE: Information herein is believed by Southwest Microwave, Inc. to be accurate. However, Southwest Microwave assumes no responsibility for any omissions or errors or inaccuracies for its use or for any infringements of patents or other rights of third parties that may result from its use. Data is intended for informational purpose only and does not constitute a contract of sale or any express or implied warranty, including any warranty of merchant ability or fitness for a particular purpose.



HOUSING:	STEEL, CRES ALLOY UNS-S30300 PER ASTM-A582. PASSIVATE PER QQ-P-35.				
CONTACT:	BeCu UNS-C17300 PER ASTM-B-196/197 GOLD PLATE PER MIL-G-45204				
BEAD RING:	1) KEL-F PER MIL-P-46036 2) ULTEM 1000 PER ASTM-D-5205				
MATERIAL & FINISH					

SPECIFICATION GROUP	DRAWING NO.	
INTERFACE	91K52019	
SPECIFICATIONS	91K52077	
CONTACT GAGING SPEC.	91K52116	
APPLICATION NOTE	91K52166	

- 2. 2.92 INTERFACE IN ACCORDANCE WITH MIL-STD-348.
- 1. ALL DIMENSIONS ARE IN INCHES, ALL ANGLES ARE IN DEGREES.

NOTES: UNLESS OTHERWISE SPECIFIED

12/19/03

REV	FONE	LINUT
KEV	ECN: 7907	INIT:
C4	7907	SS
		THWEST OWAVE

Southwest Microwave, Inc. 9055 South McKemy Street Tempe, Arizona 85284—2946 Telephone (480) 783—0201

Fax (480) 783-0360

EJO

TITLE

DATE:

12/19/03

MODEL 1020-01SF 2.92mm JACK Thdin .405L TO ACCEPT .012 DIA PIN

DRN BY: SLM	DATE: 3/96	DWG.	NO.
SCALE:	3:1		
SHEET: 1	OF 1		

79K51968

REV.