
NOTE: Information herein is believed by Southwest Microwave, Inc. to be accurate. However, Southwest Microwave assumes no responsibility for any omissions or errors or inaccuracies for its use or for any infringements of patents or other rights of third parties that may result from its use. Data is intended for informational purpose only and does not constitute a contract of sale or any express or implied warranty, including any warranty of merchant ability or fitness for a particular purpose.



HOUSING: COUPLING NUT:	STEEL, CRES ALLOY UNS-S30300 PER ASTM-A582. PASSIVATE PER ASTM-A967-99		
CONTACT:	BeCu UNS-C17300 PER ASTM-B-196/197 GOLD PLATE PER MIL-G-45204		
DIELECTRIC:	VIRGIN TFE FLUOROCARBON PER ASTM-D-1710 AND ASTM-D-1457		
BEAD RING:	ULTEM 1000 PER ASTM-D-5205		
RETAINING RING:	BeCu UNS-C17300 PER ASTM-B-196/197		
GASKET:	SILICONE RUBBER PER ZZ-R-765		
ITEM	MATERIAL & FINISH		

- 2. INTERFACE I.A.W. MIL-STD-348
- 1. ALL DIMENSIONS ARE IN INCHES, ALL ANGLES ARE IN DEGREES. DIMENSIONS SHOWN IN BRACKETS [XXX] ARE MILLIMETERS.

TOLERANCES ARE BASED UPON DIMENSIONS IN INCHES. METRIC DIMENSIONS ARE FOR "REFERENCE ONLY".

NOTES: UNLESS OTHERWISE SPECIFIED

CONTACT GAGING SPEC. .020 REAR SOCKET	91D52110	
SPECIFICATIONS	91D58705	
INTERFACE	91D57680	
SPECIFICATION GROUP	DRAWING NO.	



RELEASE

Southwest Microwave, Inc. 9055 South McKemy Street Tempe, Arizona 85284—2946 Telephone (480) 783—0201 Fax (480) 783—0360

TE: APRVD. 11/29/06 SS

TITLE

DATE:

12/4/06

ULTEM CAPTURE TNC PLUG 11/16SQ FLANGE TO ACCEPT .020 DIA. PIN

DRN BY: DA SS 1	., 00	MODEL NO.	411-02SF	REV.
SHEET: 1 O	F 1	DWG. NO.	79D58384	, ,